

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of cleaning carpets comprising the steps of:
 - a. applying a foaming aerosol carpet cleaning composition to a carpet,
 - b. wiping the carpet with a cleaning implement comprising a disposable cleaning substrate, ~~and~~
 - c. allowing the carpet to dry,
 - d. wherein said composition comprises glycol ether solvent, anionic surfactant, and propellant, ~~and~~
 - e. wherein the ratio of anionic surfactant to glycol ether solvent is less than 0.2; and
 - f. wherein said cleaning implement comprises a handle, a cleaning head, and an attachment structure for an aerosol canister.
2. (Canceled)
3. (Canceled)
4. (Currently Amended) The method of claim 1, wherein the ratio of anionic surfactant to glycol ether solvent is less than 0.1.
5. (Previously Presented) The method of claim 1, wherein said composition comprises greater than 0.1% anionic surfactant.
6. (Canceled)
7. (Currently Amended) The method of claim 5, wherein the ratio of anionic surfactant to glycol ether solvent is less than 0.1.
8. (Canceled)

9. (Original) The method of claim 1, wherein said disposable cleaning substrate comprises a nonwoven material.
10. (Original) The method of claim 1, wherein said disposable cleaning substrate has an absorbency of greater than 5g/g.
11. (Original) The method of claim 10, wherein said disposable cleaning substrate has an absorbency of greater than 10g/g.
12. (Previously Presented) The method of claim 1, wherein the foam of said composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
13. (Previously Presented) The method of claim 1, wherein said composition penetrates less than 0.50 inches of a nylon carpet with fiber length 0.50 inches under spray only conditions.
14. (Previously Presented) The method of claim 13, wherein said composition penetrates less than 0.40 inches of a nylon carpet with fiber length 0.50 inches under spray only conditions.
15. (Previously Presented) The method of claim 13, wherein said composition penetrates less than 0.30 inches of a nylon carpet with fiber length 0.50 inches under spray only conditions.
16. (Cancelled)
17. (Cancelled)
18. (Canceled)

19. (Canceled)

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Canceled)

24. (Canceled)

25. (Canceled)

26. (Cancelled)

27. (Cancelled)

28. (Canceled)

29. (Canceled)

30. (Canceled)

31. (Cancelled)

32. (Cancelled)

33. (Cancelled)

S/N: 10/758,821

34. (Currently Amended) An article of manufacture comprising:

- a. a cleaning implement wherein said cleaning implement comprises a handle, a cleaning head, and an attachment structure for an aerosol canister;
- b. a disposable cleaning substrate;
- c. foaming aerosol cleaning composition; ~~and~~
- d. a set of instructions comprising the steps of:
 - i. applying foaming aerosol cleaning composition to a carpet,
 - ii. wiping the carpet with a the cleaning implement comprising a disposable cleaning substrate, and
 - iii. allowing the carpet to dry,
- e. wherein said composition comprises glycol ether solvent, anionic surfactant, and propellant, and
- f. wherein the ratio of anionic surfactant to glycol ether solvent is less than 0.2.

35. (Previously Presented) The article of manufacture of claim 34, wherein foam of said foaming aerosol cleaning composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.

36. (Previously Presented) The article of manufacture of claim 35, wherein said foaming aerosol cleaning composition penetrates less than 0.50 inches of a nylon carpet with fiber length 0.50 inches under spray only conditions.

37. (Previously Presented) The article of manufacture of claim 34, wherein said foaming aerosol cleaning composition comprises an anionic surfactant and a solvent.

38. (Canceled)

39. (Currently Amended) The article of manufacture of claim 34, wherein the ratio of anionic surfactant to glycol ether solvent is less than 0.1.